RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10038,722 A
Source: TFWV6
Date Processed by STIC: 3-24-05

ENTERED



IFW16

RAW SEQUENCE LISTING DATE: 03/24/2005
PATENT APPLICATION: US/10/038,722A TIME: 14:43:31

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

```
4 <110> APPLICANT: LEY, Arthur C.
        GUTERMAN, Sonia K.
        MARKLAND, William
 6
        KENT, Rachel B.
 7
        ROBERTS, Bruce L.
 8
        LADNER, Robert C.
9
11 <120> TITLE OF INVENTION: ITI-D1 KUNITZ DOMAIN MUTANTS AS HNE INHIBITORS
13 <130> FILE REFERENCE: D0617.7005US01
15 <140> CURRENT APPLICATION NUMBER: 10/038,722A
16 <141> CURRENT FILING DATE: 2002-01-08
18 <150> PRIOR APPLICATION NUMBER: US 08/849,406
19 <151> PRIOR FILING DATE: 1999-07-21
21 <150> PRIOR APPLICATION NUMBER: PCT/US95/16349
22 <151> PRIOR FILING DATE: 1995-12-15
24 <150> PRIOR APPLICATION NUMBER: US 08/358,160
25 <151> PRIOR FILING DATE: 1994-12-16
27 <150> PRIOR APPLICATION NUMBER: US 08/133,031
28 <151> PRIOR FILING DATE: 1992-02-28
30 <160> NUMBER OF SEQ ID NOS: 140
32 <170> SOFTWARE: PatentIn version 3.1
35 <210> SEQ ID NO: 1
36 <211> LENGTH: 276
37 <212> TYPE: DNA
38 <213> ORGANISM: Artificial Sequence
40 <220> FEATURE:
42 <223> OTHER INFORMATION: IIIsp::bpti::matureIII (initial fragment)
44 <400> SEQUENCE: 1
45 qtqaaaaaat tattattcqc aattccttta gttgttcctt tctattctgg cgcccgtccg
                                                                          60
47 qatttctqtc tcgaqccacc atacactggg ccctgcaaag cgcgcatcat ccgctatttc
                                                                         120
49 tacaatgcta aagcaggcct gtgccagacc tttgtatacg gtggttgccg tgctaagcgt
                                                                         180
51 aacaacttta aatcggccga agattgcatg cgtacctgcg gtggcgccgc tgaaactgtt
                                                                         240
                                                                         276
53 gaaagttgtt tagcaaaacc ccatacagaa aattca
56 <210> SEQ ID NO: 2
57 <211> LENGTH: 92
58 <212> TYPE: PRT
59 <213> ORGANISM: Artificial Sequence
61 <220> FEATURE:
63 <223> OTHER INFORMATION: IIIsp::bpti::matureIII (initial fragment)
65 <400> SEQUENCE: 2
67 Met Lys Lys Leu Leu Phe Ala Ile Pro Leu Val Val Pro Phe Tyr Ser
                                       10
70 Gly Ala Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys
71
               20
                                   25
```

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

```
73 Lys Ala Arg Ile Ile Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys
           35
74
76 Gln Thr Phe Val Tyr Gly Gly Cys Arg Ala Lys Arg Asn Asn Phe Lys
77
79 Ser Ala Glu Asp Cys Met Arg Thr Cys Gly Gly Ala Ala Glu Thr Val
                       70
82 Glu Ser Cys Leu Ala Lys Pro His Thr Glu Asn Ser
83
86 <210> SEQ ID NO: 3
87 <211> LENGTH: 285
88 <212> TYPE: DNA
89 <213> ORGANISM: Artificial Sequence
91 <220> FEATURE:
93 <223> OTHER INFORMATION: IIIsp::itiD1::mature III fusion gene
95 <400> SEQUENCE: 3
96 qtqaaaaaat tattattcgc aattccttta gttgttcctt tctattctgg cgccaaagaa
                                                                          60
98 gactettgcc agetgggeta eteggeeggt eeetgeatgg gaatgaceag eaggtattte
                                                                         120
100 tataatggta catccatggc ctgtgagact ttccagtacg gcggctgcat gggcaacggt
                                                                          180
                                                                          240
102 aacaacttcg tcacagaaaa ggagtgtctg cagacctgcc gaactgtggg cgccgctgaa
                                                                          285
104 actgttgaaa gttgtttagc aaaaccccat acagaaaatt cattt
107 <210> SEQ ID NO: 4
108 <211> LENGTH: 95
109 <212> TYPE: PRT
110 <213> ORGANISM: Artificial Sequence
112 <220> FEATURE:
114 <223> OTHER INFORMATION: IIIsp::itiD1::mature III fusion gene
116 <400> SEQUENCE: 4
118 Met Lys Lys Leu Leu Phe Ala Ile Pro Leu Val Pro Phe Tyr Ser
122 Gly Ala Lys Glu Asp Ser Cys Gln Leu Gly Tyr Ser Ala Gly Pro Cys
123
                20
125 Met Gly Met Thr Ser Arg Tyr Phe Tyr Asn Gly Thr Ser Met Ala Cys
126
128 Glu Thr Phe Gln Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Val
129
                            55
131 Thr Glu Lys Glu Cys Leu Gln Thr Cys Arg Thr Val Gly Ala Ala Glu
                        70
134 Thr Val Glu Ser Cys Leu Ala Lys Pro His Thr Glu Asn Ser Phe
135
                                         90
138 <210> SEQ ID NO: 5
139 <211> LENGTH: 58
140 <212> TYPE: PRT
141 <213> ORGANISM: Artificial Sequence
143 <220> FEATURE:
145 <223> OTHER INFORMATION: Consensus Kunitz domain
147 <400> SEQUENCE: 5
149 Arg Pro Asp Phe Cys Leu Leu Pro Ala Glu Thr Gly Pro Cys Arg Ala
152 Met Ile Pro Arg Phe Tyr Tyr Asn Ala Lys Ser Gly Lys Cys Glu Pro
```

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

```
20
                                    25
155 Phe Ile Tyr Gly Gly Cys Gly Gly Asn Ala Asn Asn Phe Lys Thr Glu
158 Glu Glu Cys Arg Arg Thr Cys Gly Gly Ala
159
        50
162 <210> SEQ ID NO: 6
163 <211> LENGTH: 58
164 <212> TYPE: PRT
165 <213> ORGANISM: Bos Taurus
167 <400> SEQUENCE: 6
169 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Lys Ala
                    5
172 Arg Ile Ile Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr
                                    25
175 Phe Val Tyr Gly Gly Cys Arg Ala Lys Arg Asn Asn Phe Lys Ser Ala
176
           35
178 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala
       50
182 <210> SEQ ID NO: 7
183 <211> LENGTH: 58
184 <212> TYPE: PRT
185 <213 > ORGANISM: Artificial Sequence
187 <220> FEATURE:
189 <223> OTHER INFORMATION: Epi-HNE-1
191 <400> SEQUENCE: 7
193 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala
196 Phe Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr
                                    25
199 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala
                                40
           35
202 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala
      50
                            55
206 <210> SEQ ID NO: 8
207 <211> LENGTH: 62
208 <212> TYPE: PRT
209 <213> ORGANISM: Artificial Sequence
211 <220> FEATURE:
213 <223> OTHER INFORMATION: Epi-HNE-2
215 <400> SEQUENCE: 8
217 Glu Ala Glu Ala Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly
                                        10
220 Pro Cys Ile Ala Phe Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly
                20
                                    25
223 Leu Cys Gln Thr Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn
            35
                                40
226 Phe Lys Ser Ala Glu Asp Cys Met Arg Thr Cys Gly Gly Ala
227
                            55
230 <210> SEQ ID NO: 9
```

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

231 <211> LENGTH: 58 232 <212> TYPE: PRT 233 <213> ORGANISM: Artificial Sequence 235 <220> FEATURE: 237 <223> OTHER INFORMATION: EpiNE7 239 <400> SEQUENCE: 9 241 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 243 Met Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 246 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 247 35 249 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 250 50 253 <210> SEQ ID NO: 10 254 <211> LENGTH: 58 255 <212> TYPE: PRT 256 <213> ORGANISM: Artificial Sequence 258 <220> FEATURE: 260 <223> OTHER INFORMATION: EpiNE3 262 <400> SEQUENCE: 10 264 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Gly 267 Phe Phe Ser Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 270 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 271 35 273 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 274 50 277 <210> SEQ ID NO: 11 278 <211> LENGTH: 58 279 <212> TYPE: PRT 280 <213> ORGANISM: Artificial Sequence 282 <220> FEATURE: 284 <223> OTHER INFORMATION: EpiNE6 286 <400> SEQUENCE: 11 288 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Gly 291 Phe Phe Gln Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 294 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 295 35 297 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 298 50 55 301 <210> SEQ ID NO: 12 302 <211> LENGTH: 58 303 <212> TYPE: PRT 304 <213> ORGANISM: Artificial Sequence 306 <220> FEATURE:

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

308 <223> OTHER INFORMATION: EpiNE4 310 <400> SEQUENCE: 12 312 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 10 315 Ile Phe Pro Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 316 318 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 321 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 322 50 55 325 <210> SEQ ID NO: 13 326 <211> LENGTH: 58 327 <212> TYPE: PRT 328 <213> ORGANISM: Artificial Sequence 330 <220> FEATURE: 332 <223> OTHER INFORMATION: EpiNE8 334 <400> SEQUENCE: 13 336 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Val Ala 5, 337 1 10 339 Phe Phe Lys Arg Ser Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 25 342 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala 345 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 346 50 55 349 <210> SEQ ID NO: 14 350 <211> LENGTH: 58 351 <212> TYPE: PRT 352 <213> ORGANISM: Artificial Sequence 354 <220> FEATURE: 356 <223 > OTHER INFORMATION: EpiNE5 358 <400> SEQUENCE: 14 360 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala 5 361 1 363 Phe Phe Gln Arg Tyr Phe Tyr Asn Ala Lys Ala Gly Leu Cys Gln Thr 20 25 365 Phe Val Tyr Gly Gly Cys Met Gly Asn Gly Asn Asn Phe Lys Ser Ala . 35 368 Glu Asp Cys Met Arg Thr Cys Gly Gly Ala 369 50 55 372 <210> SEQ ID NO: 15 373 <211> LENGTH: 58 374 <212> TYPE: PRT 375 <213 > ORGANISM: Artificial Sequence 377 <220> FEATURE: 379 <223> OTHER INFORMATION: EpiNE2 381 <400> SEQUENCE: 15 383 Arg Pro Asp Phe Cys Leu Glu Pro Pro Tyr Thr Gly Pro Cys Ile Ala

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:82; N Pos. 37,38,40,41,42,47,52,56,58,64,65,66,71,72,100,101,103,104
Seq#:82; N Pos. 109,110,124,125,128,133,134
Seq#:83; Xaa Pos. 13,14,16,18,19,20,22,24,34,35,37,42,43,45
Seq#:84; N Pos. 34,35,37,38,39,43,44,49,53,55,56,61,62,63,68,69,97,98,100
Seq#:84; N Pos. 101,106,107,121,122,125,130,131
Seq#:85; Xaa Pos. 12,13,15,17,18,19,21,23,33,34,36,41,42,44
Seq#:86; Xaa Pos. 2,3,4,5,6,7,9,11,12,13,14,15,16,17,18,19,20,21,22,23,24
Seq#:86; Xaa Pos. 25,27,28,30,31,32,35,36,37,38,39,40,41,42,43,44,45,46,48
Seg#:86; Xaa Pos. 49,50
Seg#:103; Xaa Pos. 1
Seq#:104; Xaa Pos. 1
Seg#:106; Xaa Pos. 1
Seq#:109; Xaa Pos. 1
Seq#:119; Xaa Pos. 14
Seq#:123; Xaa Pos. 1
Seq#:127; N Pos. 4,5,6,7,8
Seg#:128; N Pos. 4,5,6,7,8,9,10,11,12
```

DATE: 03/24/2005

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/038,722A TIME: 14:43:32

Input Set : A:\D0617.70005US01 seq.txt
Output Set: N:\CRF4\03242005\J038722A.raw

L:2804 M:283 W: Missing Blank Line separator, <220> field identifier L:2920 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0 M:341 Repeated in SeqNo=82 L:2987 M:283 W: Missing Blank Line separator, <220> field identifier L:3009 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83 after pos.:0 M:341 Repeated in SeqNo=83 L:3162 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0 M:341 Repeated in SeqNo=84 L:3253 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:85 after pos.:0 M:341 Repeated in SeqNo=85 L:3312 M:283 W: Missing Blank Line separator, <220> field identifier L:3351 M:283 W: Missing Blank Line separator, <400> field identifier L:3353 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:86 after pos.:0 M:341 Repeated in SeqNo=86 L:3738 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:103 after pos.:0 L:3763 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:104 after pos.:0 L:3808 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0 L:3873 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:109 after pos.:0 L:4079 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:119 after pos.:0 L:4172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:123 after pos.:0 L:4268 M:283 W: Missing Blank Line separator, <400> field identifier L:4269 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:127 after pos.:0 L:4287 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:128 after pos.:0